

March 13, 2017

Pacific Northern Gas Ltd.  
950, 1185 West Georgia Street  
Vancouver BC V6E 4E6

Attention: Pacific Northern Gas Ltd.

**RE: Determination of Application Area Number 100101849**

**Permit Holder:** Pacific Northern Gas Ltd.

**Date of Issuance:** March 13, 2017

**Effective Date:** March 13, 2017

**Application Submitted Date:** February 3, 2017

**Application Determination Number:** 100101849

**Approved Disturbance Footprint:** 0 ha

## ACTIVITIES APPROVED

Changes In and About a Stream: 0003739
--

## GENERAL AUTHORIZATIONS and CONDITIONS

### AUTHORIZATIONS

#### Water Sustainability Act

1. The Commission, pursuant to section 11 of the *Water Sustainability Act*, authorizes the changes in and about a stream, as detailed in the Activities Approved table above, within the activity area for construction and maintenance activities, unless otherwise restricted by this authorization.
  - a) Instream works must be carried out in accordance with the methods and any mitigations, as specified in the application.

### CONDITIONS

#### Notification

2. A notice of construction start must be submitted prior to the commencement of activities under this permit 48 hours before or as per the relevant legislation if longer than 48 hours. Notification must be submitted via Kermit for pipelines and facilities. For all other activity types, notification must be submitted through [OGC.ExternalNotifications@bcogc.ca](mailto:OGC.ExternalNotifications@bcogc.ca).
3. Within 60 days of the completion of construction activities under this permit, the Permit Holder must submit to the Commission a post-construction plan as a shapefile and PDF plan accurately identifying the location of the total area actually disturbed under this permit. The shapefile and plan must be submitted via eSubmission.
4. The permit holder must notify Lheidli T'enneh First Nation a minimum of five (5) days prior to commencement of construction activities.
5. The permit holder must notify Carrier Sekani Tribal Council a minimum of five (5) days prior to commencement of construction activities.

6. The permit holder must notify Nak'azdli First Nation a minimum of five (5) days prior to commencement of construction activities.

### **Environmental**

7. No in stream works are permitted between April 1st and August 1<sup>st</sup>.

### **Clearing**

8. The Permit Holder is permitted to fell any trees located on Crown land within 1.5 tree lengths of the activity area that are considered to be a safety hazard according to *Workers Compensation Act* regulations and must be felled in order to eliminate the hazard. Trees or portions of these trees that can be accessed from the activity area without causing damage to standing timber may be harvested.

## **ADVISORY GUIDANCE**

1. Construction plan Salmon\_SI is for the Permit Holder's internal reference only and was not reviewed as a decision tool for this permit, nor does it form an integral part of this permit.
2. Unless a condition or its context suggests otherwise, terms used in this approval have the same meaning as the Environmental Protection and Management Regulation under the *Oil and Gas Activities Act*.

All pages included in this permit and any attached documents form an integral part of this permit.



---

Corey Scofield  
Authorized Signatory  
Commission Delegated Decision Maker

Copied to:

Land Agent: Canada West Land Services Ltd.  
First Nations: Lheidli T'enneh First Nation, Carrier Sekani Tribal Council, Nak'azdli First Nation & West Moberly First Nations