



July 26, 2013

Coastal GasLink Pipeline Ltd.
450 - 1st Street SW
Calgary, Alberta
T2P 5H1

Attention: Katherine Sheriff

RE: Temporary Occupation of Crown Land - Geotechnical Investigation Permit
Geotechnical Investigation Location: Units 25, 94 & 95, Block J, 93-J-16 and Units 4&5, Block B, 93-O-1
Date of Issuance: July 26, 2013
Commission File No: 9638317

AUTHORIZATIONS

Temporary Occupation of Crown Land Permit under section 14 of the Land Act

1. The Oil and Gas Commission hereby authorizes the holder of permit number 9638317, under section 14 of the Land Act, to temporary occupy and use Crown land for the purpose of constructing and operating a Geotechnical Investigation, under Authorization Number 941171, subject to the following:
 - i. The authorization granted under this permit is limited to the area described in construction plan number Document No. CGE4703-MSI-G-MP-068-001-Geotech-2500-KP152-Sketch, Page1 and 2 of 2, Rev 1, dated April 16, 2013 as submitted to the Commission in the permit application dated May 27, 2013.
 - ii. In the event a heritage site, heritage object, or any other feature, place or material that may contain historical or archaeological value as defined by the Heritage Conservation Act [RSBC 1996] Chapter 187 is encountered, the permit holder must cease disturbance activities and immediately notify the Oil and Gas Commission.
 - iii. The permit holder will indemnify the Province of British Columbia (the "Province") and the Commission against all losses, damages, costs, and liabilities arising out of any breach or non-performance of any condition or agreement set out in this permit, and any personal injury, death or property damage occurring on the site or happening by virtue of the permit holder's occupation of the site, and the amount of such losses, damages and costs shall be payable to the Province or the Commission immediately.
 - iv. The permit holder will immediately effect, and keep in force while occupying the site, insurance of an amount not less than \$1,000,000 protecting the Province, the Commission and the permit holder (without any rights of cross-claim or subrogation) against claims for personal injury, death, property damage, or third party or public liability claims arising from any accident or occurrence on the site.
 - v. The authorization to occupy and use Crown land does not entitle the permit holder to exclusive possession of the area. The permit holder will not interfere with the activities of another person entering on and using the area under a prior or subsequent Land Act disposition.
 - vi. The rights granted by this permit are subject to all subsisting grants to or rights of any person made or acquired under the Coal Act, Forest Act, Mineral Tenure Act, Petroleum and Natural Gas Act, Range Act, Water Act or Wildlife Act, or any extension or renewal of the same, any prior dispositions made under the Land Act, and the exceptions and reservations of rights and interests under Section 50 of the Land Act.
 - vii. The permit holder will acknowledge and agree that any interference with rights granted under this permit by virtue of the exercise or operation of the rights or interests set out in Sections (v) or (vi) above shall not constitute a breach of the Province's or the Commission's obligations under this permit and the permit holder will release and discharge the Province and/or the Commission from any claim for loss or damage arising directly or indirectly out of any such interference. The permit holder will also agree to pay all costs and expenses that arise out of the permit holder's interference with the rights or interests set out in Sections (v) or (vi) and that the permit holder will not commence or maintain proceedings under Section 65 of the Land Act with respect to interference with the permit holder's rights arising out of exercise or operation of the rights set out in Sections (v) or (vi).

- viii. The permit holder must pay, when due, the Fees to the address set out in the attached covering letter.
- ix. The permit holder must not assign, sublicense or transfer this Permit without our written consent.
- x. The permit holder must notify the Commission 48 hours prior to commencing construction.
- xi. This permit expires two years from the date of issuance.
- xii. Within 60 days of the completion of the clearing phase of the activity authorized, the permit holder must submit to the Commission a Post-construction plan as an ePASS shape file identifying the location of the total area actually cleared under this permit.

Cutting Permit under Master Licence to Cut under section 47.4 of the Forest Act

1. The Commission hereby issues Cutting Permit No. 8, under Master Licence to Cut number M02341, Forest District PRINCE GEORGE subject to the following conditions:
 - i. This Cutting Permit applies to only the Crown Land portion of the construction plan associated with this Geotechnical Investigation Permit (construction plan number Document No. CGE4703-MSI-G-MP-068-001-Geotech-2500-KP152-Sketch, Page1 and 2 of 2, Rev 1, dated April 16, 2013).
 - ii. All harvested Crown timber must be marked with Timber Mark Number MSZ 952.
 - iii. This Cutting Permit expires 2 years from the date of issuance of the Geotechnical Investigation Permit or the revised date should this permit be extended.
 - iv. This Cutting Permit is subject to the terms and conditions in the Master Licence to Cut.
 - v. The felling, bucking and utilization specifications in the Master Licence to Cut apply to this Cutting Permit.
 - vi. Stumpage is required to be paid under this cutting permit and will be calculated on the gross project area. The amount will be determined upon submission of final as-cleared plans to the Commission and in accordance with the Ministry of Forests Interior Appraisal Manual.
 - vii. Timber that is stored in decks or piles must be marked with the correct timber mark before transportation, or at the end of every shift. The marking must be applied to one end of at least 10% of the timber pieces in each deck or pile using a hammer indentation or paint. Marking must be kept concurrent with decking.
 - viii. In accordance with the Master Licence to Cut referenced above, "Within 60 days of completing operations on a Cutting Permit, the Licencee shall submit to the Commission a map showing all disturbances that have occurred pursuant to that Cutting Permit, at a scale of 1:20,000 or 1:50,000."
 - vix. The utilization of merchantable timber is not mandatory for this permit.

ADDITIONAL CONDITIONS

- 1 Where activities fall within ungulate winter range, activities must not conflict with the critical timing window for caribou between May 15 and July 15.

- 2 An Archaeological Impact Assessment is required for the proposed development area prior to any development activities taking place.


If an archaeological site is recorded as a result of this assessment, a report must be submitted immediately to the Oil and Gas Commission and all mitigation measures must be approved by OGC archaeology staff prior to the start of construction.

If no archaeological site is recorded during this assessment, an AIA report is still required and must be submitted to the OGC as soon as possible as per the Archaeology Process Guidelines.

If artifacts, features, materials or things protected under section 13(2) of the Heritage Conservation Act are identified the permit holder must, unless the permit holder holds a permit under section 12 of the Heritage Conservation Act in respect of that artifact, feature, material or thing:

- a. immediately cease all work in the vicinity of the artifacts, features, materials or things;
- b. immediately notify the Commission; and
- c. refrain from resuming work in the vicinity of the artifacts, features, materials or things except in accordance with an appropriate mitigation plan that has been prepared in accordance the Heritage Conservation Act, endorsed by a qualified archaeologist, and approved by the Commission.

- 3 This permit authorizes 4.36 hectares of new Crown land area disturbance only.



Amanda Fraser
Natural Resource Officer
Permitting and Authorizations - Operations Division



LEGEND:

- Staging Area
- Staging Area Placement Zone
- Coastal GasLink Study Corridor Centerline
- PNG Grid Boundary
- Windpower Permit, Map Reserve, Notation of Interest
- Forest Cut Block
- Ungulate Winter Range
- Existing Access

NOTES:

- The proposed project is not within the Agricultural Land Reserve (ALR).
- Project to be flagged at time of construction.
- UTM Coordinates shown are NAD83 Zone 10 N.
- The proposed project is within the South OGC Zone
- Distances shown are in meters and decimals thereof.

EPASS # 10042658
 BCGS: 93J.100, 93O.010

REVISION	DESCRIPTION
1	Revised Facility Name, April 16, 2013

SCALE 1:2,500 METERS

Caribou Range: Hart Ranges
Coal License: None
Community Forest: None
Guide / Outfitter: 701118
Mineral Reserve: 330209
Range Tenure: None
Trapper: 723T004
Tree Farm License: None
Ungulate Winter Ranges: P-028
Wildlife Habitat Area: None
Wildlife Tree Retention Area: None
Wood Lot: None



COASTAL GASLINK PIPELINE LTD.

SKETCH PLAN

**GEOTECHNICAL INVESTIGATION PROGRAM
 PROPOSED 2500 PSI COMPRESSOR FACILITY KP 152**

WITHIN

**UNITS 25, 94 & 95, Block J, Group 93-J-16 And
 UNITS 4 & 5, Block B, Group 93-O-1**

CARIBOO DISTRICT

Route Reference: CGP_Route_RevC1	Page 2 of 2
Document No. CGE4703-MSI-G-MP-068-002-Geotech-2500-KP152-Sketch	April 16, 2013
	Rev 1

TABLE OF AREAS REQUIRED (CROWN LANDS)			
Proposed Feature:	New Cut	Existing Clearing	Total
Borehole Pads (36)	0.36 ha	0.00 ha	0.36 ha
Temp Access (Investigative Area)	4.00 ha	0.00 ha	4.00 ha
Staging Area	0.00 ha	0.36 ha	0.36 ha
Total Area	4.36 ha	0.36 ha	4.72 ha
Investigative Area Total Area = 16.72 ha.			
Staging Area Placement Zone Total Area = 0.80 ha.			

TRAPPER
723T004

GUIDE
701118

RANGE
TENURE
NONE


HART RANGES
HERD

UNSUREYED
CROWN LAND

NOTE: BOREHOLE
LOCATION PLAN #11

PROPOSED 380 x 440
INVESTIGATIVE
AREA = 16.72 ha
(Crown Land)

NOTE
Proposed 16.72 ha Investigative Area to contain 36 Boreholes and temporary access required for Borehole equipment.
New Cut areas required within Investigative Area:
Borehole pads = 0.36 ha.
Temp Access = 4.00 ha.
Total = 4.36 ha.
A Post Construction Plan will be issued to show final locations and clearing.



LEGEND:

- 13 Proposed 10 x 10 Heliportable Borehole Pad
- Coastal GasLink Study Corridor Centerline
- Investigative Area / Proposed Compressor Facility Boundary
- PNG Grid Boundary

NOTES:

- The proposed project is not within the Agricultural Land Reserve (ALR).
- Project to be flagged at time of construction.
- UTM Coordinates shown are NAD83 Zone 10 N.
- The proposed project is within the South OGC Zone
- Distances shown are in meters and decimals thereof.

EPASS # 10042658

BCGS: 93J.100, 93O.010	
REVISION	DESCRIPTION
1	Revised Facility Name, April 16, 2013
SCALE 1:2,500	
METERS	

Coastal GasLink Pipeline Project

TransCanada

SKETCH PLAN

GEOTECHNICAL INVESTIGATION PROGRAM

PROPOSED 2500 PSI COMPRESSOR FACILITY KP 152 WITHIN

UNITS 25, 94 & 95, Block J, Group 93-J-16 And UNITS 4 & 5, Block B, Group 93-O-1

CARIBOO DISTRICT

Route Reference: CGP_Route_RevC1

Document No. CGE4703-MSI-G-MP-068-001-Geotech-2500-KP152-Sketch

Page 1 of 2

April 16, 2013

Rev 1