



Well Data Submission Requirements Manual

VERSION 1.19: January 2020

About the Commission

The BC Oil and Gas Commission (Commission) is the single-window regulatory agency with responsibilities for regulating oil and gas activities in British Columbia, including exploration, development, pipeline transportation and reclamation.

The Commission's core roles include reviewing and assessing applications for industry activity, consulting with First Nations, ensuring industry complies with provincial legislation and cooperating with partner agencies. The public interest is protected by ensuring public safety, protecting the environment, conserving petroleum resources and ensuring equitable participation in production.



VISION

Safe and responsible energy resource development for British Columbia.

MISSION

We provide British Columbia with regulatory excellence in responsible energy resource development by protecting public safety, safeguarding the environment and respecting those individuals and communities who are affected.

VALUES

Transparency

Is our commitment to be open and provide clear information on decisions, operations and actions.

Innovation

Is our commitment to learn, adapt, act and grow.

Integrity

Is our commitment to the principles of fairness, trust and accountability

Respect

Is our commitment to listen, accept and value diverse perspectives.

Responsiveness

Is our commitment to listening and timely and meaningful action.



Table of Revisions

The Commission is committed to the continuous improvement of its documentation. The table below summarizes revisions to the Well Data Submission Requirements Manual. Revisions are posted to the documentation section of the Commission's website at the beginning of every month and are effective one month after posting, unless otherwise noted. For more information about the Commission's monthly revisions, and for details of this month's revisions, please visit the [documentation section](#) of the Commission's website.

Stakeholders who would like to provide input or feedback on Commission documentation may send comments to servicedesk@bcogc.ca.

Posted Date	Effective Date	Chapter	Summary of Revision(s)
March 28, 2017	March 29, 2017	Section 2.14, 2.7.1, and Appendix A	Added .PDF as submission requirement for Ground Motion Monitoring submissions. Updated submission guidance for Completion and Workover Reports. For more information, refer to INDB 2017-07 on the Commission's website.
June 7, 2017	July 1, 2017	2.11	Updated the chart to read "submit one PDF and one CSV".
September 8, 2017	September 8, 2017	1.9	Updated eSubmission reference guidance.
April 9, 2018	May 1, 2018	2.3.1-2.3.3	Changed "welldatamail@bcogc.ca" to "welldatamanagement@bcogc.ca".
June 7, 2019	June 7, 2019	Various	Updated to reflect changes to the Drilling and Production Regulation. Refer to INDB 2019-10 for more information.
January 10, 2020	February 1, 2020	2.14	Updated the Ground Motion Monitoring Submission Guidelines section to include new submission requirements.

Table of Contents

Preface	6
About	6
Manual Structure	6
Manual Scope.....	6
Additional Guidance.....	7
Compliance and Enforcement.....	7
Business Transition Strategy	7
Chapter 1: General.....	8
1.0 Well Data Submission	8
1.1 Well Reports and Well Data Definition.....	8
1.2 Electronic File Documentation	9
1.3 File Naming Conventions	9
1.4 Responsibility of Permit Holder	9
1.5 Privacy of Personal Information Considerations	10
1.6 Submission Rejection Criteria	10
1.7 Incomplete Well Data Submissions	10
1.8 Contact List	11
1.9 Electronic Data Submission Portal.....	11
Chapter 2: Well Data Submission Requirements	12
2.0 Summary Report of Drilling Operations	12
2.1 Daily Drilling Reports (Tour Sheets).....	12
2.2 Logs	13
2.3 Core Reports and Photographs	15

2.4	Wellsite Geology Reports	17
2.5	Drill Stem and Wire Line Tests.....	18
2.6	Directional Surveys	19
2.7	Completion Data.....	19
2.8	Reservoir Pressure Survey Test Reports.....	21
2.9	Well Deliverability Test Reports	22
2.10	Gas and Fluid Analyses	22
2.11	Isotopic Analysis	23
2.12	Pressure-Volume Temperature Analysis	24
2.13	Packer Isolation Testing.....	24
2.14	Ground Motion Monitoring	24
Chapter 3: Core Research Facility Submissions		26
3.0	General	26
3.1	Examination and analysis of Cores (New and Removed)	27
3.2	Core and Drill Cutting Samples (New and Removed)	29
Appendix A: File Naming Conventions		30

Preface

About

The Well Data Submission Requirements Manual is intended to provide a reference document for well permit holders, by documenting well data submission requirements and processes, as established in the [Oil and Gas Activities Act](#) (OGAA), [Oil and Gas Activities Act General Regulation](#) and the [Drilling and Production Regulation](#).

The manual has been prepared to be as comprehensive as possible; however it is not all encompassing and may not cover all situations. Where circumstances or scenarios arise and are not covered by the manual, please contact the Commissions' Records and Information Services Branch directly. Refer to section 1.8 for contact information.

Manual Structure

This manual is divided into sections and follows the order of steps that permit holders will follow when submitting well data.

The requirements in this manual have been developed to lead permit holders through the process of submitting well data to ensure that well data held by the Commission is complete and useable.

- | | |
|-----------|---|
| Chapter 1 | General outlines and explains general well data submission requirements including but not limited to; email address, naming conventions, rejection criteria, and privacy considerations. |
| Chapter 2 | Well Data Submission Requirements outlines and explains submission requirements for well data. |
| Chapter 3 | Core Research Facility Submissions outlines and explains core and sample submissions requirements and the core removal application process for new and archived core and samples. |

Manual Scope

This manual focuses exclusively on requirements and processes associated with the Commission's legislated authorities and it does not provide information on responsibilities that may be specified as conditions on permits, or responsibilities that the Commission does not regulate. It is the responsibility of the applicant or permit holder to know and comply with all of their legal responsibilities.

Additional Guidance

Additional Commission manuals and guidelines are available in the [documentation section](#) of the Commission's website. The [glossary](#) page of the Commission's website provides a comprehensive list of common terms, and the OGAA and its regulations provide the primary source of legal definitions.

The appendix contains a table to be used as a reference when compiling information required by the Commission.

Compliance and Enforcement

This document does not replace legislation or affect legislative requirements. All permit holders are ultimately responsible for ensuring they understand and meet all requirements of the OGAA and their permits. Should a person not comply with the OGAA, the Commission may take compliance and enforcement actions. For more information regarding the Commission's Compliance and Enforcement processes, please refer to the [Compliance and Enforcement Manual](#).

Business Transition Strategy

The Commission is undertaking a Business Transition Strategy (BTS) to ensure it is well positioned as part of B.C.'s LNG Strategy. The eSubmission project, which focuses on receiving legislated operational requirements in electronic form, is an important part of the BTS.

This manual reflects the electronic file formats that industry is required to use when making well data submissions to the Commission. The Commission is phasing in electronic submission and is requesting all permit holders to submit digital formats of their required submissions. During the transition phase, the Commission is requesting some documents to be submitted through [eSubmission](#) and some documents to be submitted by e-mail. Please refer to Chapter 2: Well Data Submission Requirements for more details. Hard copy paper submissions are not required and are no longer processed.

All electronic formats and naming conventions presented throughout this document are anticipated to be continued as the Commission completes its transition to electronic submissions through [eSubmission](#). Permit holders are required to use file formats and naming conventions detailed in this manual. Changes to naming conventions or file formats will be reflected in updates to this manual and through proper notification to industry.

Chapter 1:

General

1.0 Well Data Submission

As outlined in Chapter 2: Well Data Submission Requirements, most submissions will be made by the permit holder through [eSubmission](#) and the remaining submissions will continue to be emailed to welldatamail@bcogc.ca.

For submissions requested by email, each email should contain the files for a single submission type pertaining to a single well. If you have well data submissions that are not mentioned in this manual or that cannot be submitted as requested (for example, because of a file size limitation) please contact the Records and Information Services Branch using the contact information listed in section 1.8.

1.1 Well Reports and Well Data Definition

Well Reports and Well Data are defined in Section 14 of the [Oil and Gas Activities Act General Regulation](#) as information obtained from or about a well, including:

- drilling reports
- well history reports
- unprocessed and processed log data
- dipmeter surveys
- directional surveys
- drill stem test data and analyses
- wire line data
- pressure – volume temperature and flow test data and analyses
- subsurface pressure data and analyses
- completion information
- reports respecting monitoring of hydraulic fracturing
- geological and geophysical information

- drilling depths
- casing and cementing information
- well status
- gas, oil or water sample or analysis data
- drill cuttings and cores and any analysis and description of the drill cuttings and cores

1.2 Electronic File Documentation

All electronic documentation must:

- be submitted in the file format specified in this manual
- be named according to the naming convention specified in this manual
- clearly identify the correct Well Authorization (WA) number of the well
- reference the drilling event, where possible

1.3 File Naming Conventions

File names for all electronic files must be prefixed with the correct well authorization number and contain sufficient detail to easily identify the document to which it relates. The name of the electronic file may include additional information required by the permit holder; for example, internal job numbers, etc. In general, the file naming convention is WA number, followed by file type, followed by date and then followed by a descriptor (up to 40 characters).

For details, refer to [Appendix A](#).

1.4 Responsibility of Permit Holder

The BC Oil and Gas Commission undertakes reasonable, standard validation steps to review a portion of the submitted well reports and well data for accuracy in support of quality data processing and dissemination.

The permit holder that submits well reports and well data is solely responsible for the completeness and accuracy of this information including any reference to the WA number. The BC Oil and Gas Commission does not take any responsibility for inaccurate, incomplete or incorrect information included in or submitted with well reports and well data. The BC Oil and Gas Commission may make all or any portion of the information included in well reports and well data publicly available on expiry of statutory confidentiality status of the well, as referenced by the WA number that appears on the well reports and well data.

1.5 Privacy of Personal Information Considerations

Permit holders are reminded that, per B.C.'s Personal Information Protection Act, tour sheets, daily drilling reports, daily completion reports and any other documents containing personal information must not be submitted to the Commission before they are edited such that the personal information is removed or rendered illegible.

A list of the names of crew members conducting operations on-site may be included. However, no other personal information about these individuals should be provided.

1.6 Submission Rejection Criteria

Complete and accurate well data shall be submitted within the timeframe prescribed in the [Drilling and Production Regulation](#) and the requirements outlined in this manual.

The Commission may reject submissions for reasons such as:

- there are discrepancies with the WA number
- the electronic files cannot be opened and/or are corrupt
- the electronic files are not submitted in the file formats specified in this manual
- the electronic files are not named according to the naming conventions specified in this manual
- documents submitted contain personal information
- incomplete submission (i.e., missing pages)
- multiple WA's within one document or submission

1.6.1 Resubmission of Rejected Well Data

The Commission expects that rejected well data submissions will be addressed by the permit holder immediately upon notification of the rejection. Where the Commission rejects an electronic well data submission, it will send a notice to the permit holder. Where rejected, the submission has not been accepted by the Commission, and the regulatory submission requirement is not considered met. Where data is not resubmitted and the regulatory requirement not met, the Commission may pursue compliance and enforcement action as outlined in the [Compliance Management and Enforcement Manual](#) and the associated [Deficiency Code List](#)

1.7 Incomplete Well Data Submissions

Complete and accurate well data shall be submitted within the timeframe prescribed in the [Drilling and Production Regulation](#) and the requirements outlined in this manual.

In cases where a submission is missing well data or data formats, the Commission expects that the missing well data or data formats will be addressed by the permit holder immediately upon the notification of an incomplete submission. Incomplete data submissions are not considered to have met regulatory submission requirements. Failure to submit the requested well data within the timeframes outlined in the [Compliance Management and Enforcement Manual](#) and the associated [Deficiency Code List](#) may result in the permit holder being found to be in non-compliance.

1.8 Contact List

Records and Information Services Branch

welldatamail@bcogc.ca

Well Data Help Line

250-419-4488

1.9 Electronic Data Submission Portal

For information and guidance on making submissions through [eSubmission](#), please refer to the [eSubmission webpage](#).

Chapter 2:

Well Data Submission Requirements

2.0 Summary Report of Drilling Operations

The Summary Report of Drilling Operations is to be submitted by the permit holder using [eSubmission](#). Each summary report of drilling operations related to a rig release must be accompanied by a supporting document outlining the formation tops and logs run. Only one document is required per summary report and the naming convention is as follows:

WANUM_FTLR_YYYYMMMD_OPTIONAL

2.1 Daily Drilling Reports (Tour Sheets)

Section 32 (1)(c) of the Drilling and Production Regulation requires tour sheets to be submitted to the Commission within 30 days of rig release or when drilling operations cease with the intention of resuming at a later date.

Tour sheets must be in the standard format as outlined by the Canadian Association of Oilwell Contractors (CAODC).

Submit:	<ul style="list-style-type: none"> one PDF optional, one XML
Submit to:	eSubmission
Naming Convention:	WANUM_ETS_YYYYMMMD_OPTIONAL

YYYYMMMD is the rig release date or, where drilling is not yet complete, the drilling suspended date. The optional portion of the naming convention may be any alphanumeric text up to forty characters in length. For example, an electronic submission of Tour Sheets for WA1122 with a rig release date of May 1, 2014 would be:

11122_ETS_2014MAY01_TOURSHEETS.PDF

11122_ETS_2014MAY01_TOURSHEETS.XML

2.2 Logs

Section 34(3) of the Drilling and Production Regulation requires all logs to be submitted to the Commission within 30 days of being run.

Measured depth (MD) and true vertical depth (TVD) logs must be provided for all directional wells.

Please Note:

LAS files are to follow the LAS 3.0 standard and must include the Well Authorization Number in the ~Well Section. Please refer to the [LAS 3.0 Log ASCII Standard Document #1 – File Structures document](#).

2.2.1 Open Hole and Cased Hole Logs

TIFF image files are the preferred format for log image submissions. Where applicable, image files must be submitted in colour.

Submit:	<ul style="list-style-type: none"> one TIFF and/or PDF of each log one or more Log ASCII Standard (LAS) files with all curves
Submit to:	eSubmission
Naming Convention:	WANUM_WL_YYYYMMDD_DESCRIPTION

YYYYMMDD is the log run date. The description portion of the naming convention is mandatory and must describe the log being submitted. The description may be any alphanumeric text up to forty characters in length. For example, the submission of a neutron density log for WA11122 with a run date of May 1, 2014 would be:

11122_WL_2014MAY01_NeutronDensity.TIFF

11122_WL_2014MAY01_NeutronDensity.LAS

2.2.2 Specialty, Enhanced or Interpreted Logs

For specialty, enhanced, imaged, interpreted or computer-generated logs (Example: Borehole Imager, FMI, Semblance, Anisotropy Plots, Casing Inspection, Temperature, Veritlogs, etc.), submit both raw and interpreted logs.

Submit:	<ul style="list-style-type: none"> one TIFF and/or PDF of each log one or more Log ASCII Standard (LAS) files with all curves
Submit to:	eSubmission

Naming Convention:	WANUM_WL_YYYYMMDD_DESCRIPTION
--------------------	-------------------------------

TIFF image files are the preferred format for log image submissions. Where applicable, image files must be submitted in colour.

YYYYMMDD is the log run date. The description portion of the naming convention is mandatory and must describe the log being submitted. The description may be any alpha numeric text up to forty characters in length. For example, the submission of a FMI log for WA1122 with a run date of May 1, 2014 would be:

11122_WL_2014MAY01_FMI.TIFF

2.2.3 MWD, Hydrocarbon and Mud Gas Logs

Measured While Drilling (MWD) logs, MWD Gamma Ray logs, Hydrocarbon logs and Mud Gas logs, if run, are to be submitted as individual documents

Submit:	<ul style="list-style-type: none"> one TIFF and/or PDF of each log one or more Log ASCII Standard (LAS) files with all curves
Submit to:	eSubmission
Naming Convention:	WANUM_WL_YYYYMMDD_DESCRIPTION

TIFF image files are the preferred format for log image submissions. Where applicable, image files must be submitted in colour.

YYYYMMDD is the log run (end) date. The description portion of the naming convention is mandatory and must describe the log being submitted. The description may be any alphanumeric text up to forty characters in length. For example, the submission of measured depth and true vertical depth MWD logs for WA1122 with run end dates of May 1, 2014 would be:

11122_WL_2014MAY01_MD_MWD.TIFF

11122_WL_2014MAY01_TVD_MWD.TIFF

11122_WL_2014MAY01_MWD.LAS

2.2.4 Production and Completion Logs

For Production and Completion Logs, refer to the [Oil and Gas Activity Operations Manual](#).

Submit:	<ul style="list-style-type: none"> one TIFF and/or PDF of each log one or more Log ASCII Standard (LAS) files with all curves
Submit to:	eSubmission
Naming Convention:	WANUM_WL_YYYYMMDD_DESCRIPTION

TIFF image files are the preferred format for log image submissions. Where applicable, image files must be submitted in colour.

YYYYMMDD is the log run date. The description portion of the naming convention is mandatory and must describe the log being submitted. The description may be any alpha numeric text up to forty characters in length. For example, the submission of a Spinner Survey log for WA11122 with a run date of May 1, 2014 would be:

11122_WL_2014MAY01_SpinnerSurvey.TIFF

11122_WL_2014MAY01_SpinnerSurvey.LAS

Please Note:

For logs relating to core analysis (e.g. core gamma ray) refer to chapter 2.3 of this manual. For logs relating to wellsite geology reports (e.g. strip or lithology logs) refer to chapter 2.4 of this manual. Naming conventions for core logs and strip/lithology logs are consistent with well logs.

2.3 Core Reports and Photographs

Section 30(2) of the Drilling and Production Regulation requires a report of the result of the core analysis, including digital core data and photography, if any, to be submitted to the Commission within 30 days after completion of a core analysis.

All core analyses conducted shall be submitted. All core analyses undertaken must be approved as part of the Core Removal Application or Sampling Application process. Refer to [Chapter 3](#) of this manual.

The report must reference the Commission's Core Removal Application or Sampling Application approval number and revision (tracking number) on the title page. Example: CRA 14-012-0. Clearly identify the correct well authorization number of the well on every document. Reports referencing multiple WA numbers will not be accepted.

A copy of the report prepared by the laboratory, complete with methodologies used, intervals tested, findings, data and conclusions contained **within a single PDF** document is required. In cases where multiple analyses are contained within one report, a table of contents that easily identifies analyses performed must be included.

Submissions consisting of only a single data table with no other content are considered incomplete and will **not** be accepted.

Core reports, core photography and core logs are to be submitted in electronic format by email.

2.3.1 Core Photography

All Core photography including, but not limited to, white light, UV Light, thin section photo-micrographics, Scanning Electron Microscopy (SEM), etc., should be in high resolution. Images must be submitted in colour, where applicable:

Submit:	<ul style="list-style-type: none"> one image (TIFF, JPEG or PDF format)
Submit to:	welldatamanagement@bcogc.ca
Naming Convention:	WANUM_CORE_YYYYMMMD_OPTIONAL

YYYYMMMD is the core report date. The optional portion of the naming convention may be any alphanumeric text up to forty characters in length. For example, the electronic portion of the submission of a core photo for WA11122 with a report date of May 1, 2014 would be:

11122_WL_2014MAY01_Photo1.TIFF

2.3.2 Core Reports

For core reports (conventional, sidewall, thin sections and cuttings / samples):

Submit:	<ul style="list-style-type: none"> one PDF copy all evaluation/analysis tables in .XLS or .XLSX
Submit to:	welldatamanagement@bcogc.ca
Naming Convention:	WANUM_CORE_YYYYMMMD_OPTIONAL

Images are to be submitted in colour, where applicable.

YYYYMMMD is the core report date. The optional portion of the naming convention may be any alphanumeric text up to forty characters in length. For example, the submission of a Core Report for WA11122 with a report date of May 1, 2014 would be:

11122_CORE_2014MAY01_CoreReport.PDF

11122_CORE_2014MAY01_Table1.XLS

2.3.3 Core Logs

Submit:	<ul style="list-style-type: none"> one TIFF and/or PDF of each log one or more Log ASCII Standard (LAS) files with all curves
Submit to:	welldatamanagement@bcogc.ca
Naming Convention:	WANUM_WL_YYYYMMMD_DESCRIPTION

TIFF image files are the preferred format for log image submissions. Where applicable, image files must be submitted in colour.

YYYYMMDD is the core report date. The description portion of the naming convention is mandatory and must describe the log being submitted. The description may be any alphanumeric text up to forty characters in length. For example, the submission of a Core Gamma log for WA11122 with a report date of May 1, 2014 would be:

11122_WL_2014MAY01_CoreGamma.TIFF

11122_WL_2014MAY01_CoreGamma.LAS

Please Note:

Multiple wells reference in a core report or that form part of a core report will not be accepted. Core reports are to be submitted on a per well basis only.

2.4 Wellsite Geology Reports

Section 35(1) of the Drilling and Production Regulation requires the submission of an As-Drilled Survey Plan within 14 days of rig release.

For As-Drilled Survey Plan submission instructions by appending it to the directional survey .pdf file, refer to Section 2.6 of this document.

Section 35(2) of the Drilling and Production Regulation requires wellsite geology reports to be submitted to the Commission within 60 days of rig release.

Wellsite geology reports must be submitted for a well or portion of a well for:

- wells classified as exploratory outpost,
- wells classified as exploratory wildcat, and
- any other well (regardless of classification), if a geological report has been prepared.

A wellsite geology report prepared by an on-site geologist containing, but not limited to, a well data summary, identification of formation tops, mud properties, well bore survey, bit record, daily summary report, summary report of well logs run, sample/core descriptions contained **within a single PDF** document and lithology and/or strip logs is required.

Measured depth (MD) and true vertical depth (TVD) Lithology/strip logs must be provided for all directional wells.

2.4.1 Wellsite Geology Reports

Submit:	<ul style="list-style-type: none"> • one PDF
Submit to:	eSubmission
Naming Convention:	WANUM_GEO_YYYYMMDD_OPTIONAL

YYYYMMDD is the geology report date. The optional portion of the naming convention may be any alphanumeric text up to forty characters in length. For example, the submission of a Wellsite Geology Report log for WA11122 with a report date of May 1, 2014 would be:

11122_GEO_2014MAY01_GeologyReport.PDF

2.4.2 Lithology / Strip Logs

Submit:	<ul style="list-style-type: none"> one TIFF and/or PDF of each log one or more Log ASCII Standard (LAS) files with all curves
Submit to:	eSubmission
Naming Convention:	WANUM_WL_YYYYMMDD_DESCRIPTION

TIFF image files are the preferred format for log image submissions. Where applicable, image files must be submitted in colour.

YYYYMMDD is the geology report date. The description portion of the naming convention is mandatory and must describe the log being submitted. The description may be any alphanumeric text up to forty characters in length. For example, the submission of a MD ROP Log for WA11122 with a report date of May 1, 2014 would be:

11122_WL_2014MAY01_MD_ROP.TIFF

11122_WL_2014MAY01_ROP.LAS

2.5 Drill Stem and Wire Line Tests

Section 30 of the Drilling and Production Regulation requires all bottom-hole tests of formation pressure and/or fluid inflow rates to be submitted to the Commission within 30 days of analysis completion. For technical information and reporting requirements refer to the [Oil and Gas Activity Operations Manual](#).

For drill stem tests and closed chamber reports (conventional and wire line drill stem tests such as repeat formation test), if applicable, include fluid recoveries, fluid analysis and pressure charts:

Submit:	<ul style="list-style-type: none"> one PDF one PAS (Optional, DST only)
Submit to:	eSubmission
Naming Convention:	WANUM_DST_YYYYMMDD_OPTIONAL; or WANUM_RFT_YYYYMMDD_OPTIONAL

YYYYMMDD is the test date. The optional portion of the naming convention may be any alphanumeric text up to forty characters in length. For example, the submission of a Drill Stem Test for WA11122 with a test date of May 1, 2014 would be:

11122_DST_2014MAY01_DrillStemTest.PDF

11122_RFT_2014MAY01_RepeatFormationTest.PDF

2.6 Directional Surveys

Section 33 (2) & (3) of the Drilling and Production Regulation requires directional surveys to be submitted to the Commission within 14 days of rig release. The last point on the directional survey must be the total measured depth (TMD) of the well bore. This allows the Commission to link the directional survey with the correct drilling event.

Section 35(1) of the Drilling and Production Regulation requires the submission of an As-Drilled Survey Plan within 14 days of rig release. Append the As-Drilled Survey Plan in its original size from the Surveyor (example 22" x 34") to the end of the directional survey PDF file.

For more information, see the [Directional Survey File Format Guide](#).

Submit:	<ul style="list-style-type: none"> one TXT file and one PDF copy, including the As Drilled Survey Plan
Submit to:	eSubmission
Naming Convention:	WANUM_DIR_YYYYMMDD_OPTIONAL

YYYYMMDD is the rig release date. The optional portion of the naming convention may be any alphanumeric text up to forty characters in length and should contain a drilling event and version identifier (if there are multiple drilling events and/or versions). For example, the original submission of a Directional Survey for WA11122 for Drilling Event 00 with a rig release date of May 1, 2014 would be:

11122_DIR_2014MAY01_00_V1.PDF

11122_DIR_2014MAY01_00_V1.TXT

2.7 Completion Data

Section 36 of the Drilling and Production Regulation requires that for each separate completion or workover operation on a well, a well permit holder must submit to the Commission, within 30 days of the end of each completion or workover operation, a report, in chronological format, detailing all significant operations, treatments and resulting well behaviour, and including a downhole schematic diagram **in full colour**. This includes detailed information of hydraulic fracturing operations.

2.7.1 Completion and Workover Reports

For technical information and reporting requirements, refer to [Oil and Gas Activity Operations Manual](#) and the [Notice of Operation and Completion Workover Report - Reference Guide](#).

Submit:	<ul style="list-style-type: none"> One single PDF
Submit to:	eSubmission
Naming Convention:	WANUM_COMP_YYYYMMDD_OPTIONAL

YYYYMMDD is the last date of operations. The optional portion of the naming convention may be any alphanumeric text up to forty characters in length. For example, the submission of a Completion Report for WA11122 where the last date of operations was May 1, 2014 would be: 11122_COMP_2014MAY01_CompletionReport.PDF.

The Completion/Workover Report Form must be included as the first page of the PDF.

2.7.2 Hydraulic Fracture Data

For technical information and reporting requirements, refer to the [Hydraulic Fracture Data Comma Separated Value \(CSV\) Files How-to Guide](#) and the [Perf Submission Template](#).

Submit:	<ul style="list-style-type: none"> one CSV detailing fracturing detail one CSV detailing perforation interval(s) (if applicable)
Submit to:	eSubmission
Naming Convention:	WANUM_FRAC_YYYYMMDD_OPTIONAL WANUM_PERF_YYYYMMDD_OPTIONAL

YYYYMMDD is the last date of operations. The optional portion of the naming convention can be any alphanumeric text up to forty characters in length. For example, the submission of a Hydraulic Fracturing Data for WA11122 where the last date of operations was May 1, 2014 would be:

11122_FRAC_2014MAY01_FractureData.CSV

Please Note:

The submission of hydraulic fracturing data is a **separate**, but complimentary, requirement from fracture fluid disclosure. For information for the mandatory submission of fracture fluid disclosure, please see Section 2.7.3

2.7.3 Fracture Fluid Disclosure

Section 37 of the Drilling and Production Regulation requires that a well permit holder must maintain detailed records of the composition of all fracturing fluids that are used in a well for which the well permit holder is responsible, and submit to the Commission the records within 30 days after the completion of the well. For technical information regarding fracture fluid disclosure, refer to the [Fracture Fluid Disclosure Manual](#).

Submit:	<ul style="list-style-type: none"> one CSV detailing fracture fluids
Submit to:	KERMIT
Naming Convention:	WANUM_FFR_YYYYMMDD_OPTIONAL

Note: there are no current naming conventions required for fracture fluid submissions, however; permit holders are encouraged to use the format listed above. YYYYMMDD is the last date of operations. The optional portion of the naming convention may be any alphanumeric text up to forty characters in length.

2.8 Reservoir Pressure Survey Test Reports

Section 73 (1) to (6) of the Drilling and Production Regulation requires permit holders to report reservoir pressure measurements within 60 days after the date on which the pressures were measured. For technical information, refer to the [Well Testing Requirements](#) document.

Submit:	<ul style="list-style-type: none"> one PDF and one PAS one CSV (optional, TRGS only)
Submit to:	eSubmission
Naming Convention:*	WANUM_TRG_YYYYMMDD_OPTIONAL, or WANUM_TRGS_YYYYMMDD_OPTIONAL, or WANUM_GRD_YYYYMMDD_OPTIONAL

Only tests conducted using surface recorders may be submitted using the TRGS submission type. A TRGS submission may be submitted with or without a PAS file. However, if available, raw data must be submitted in either PAS or CSV file format.

YYYYMMDD is the last date of testing. The optional portion of the naming convention may be any alphanumeric text up to forty characters in length. For example, the submission of a Pressure Survey Test for WA11122 where the last date of testing was of May 1, 2014 would be: 11122_TRG_2014MAY01_PressureTest.PDF

11122_TRG_2014MAY01_PressureTest.PAS

* Note: TRG (pressure transient), TRGS (pressure transient surface), GRD (static gradient)

2.9 Well Deliverability Test Reports

Section 63 (1) to (3) of the Drilling and Production Regulation requires permit holders to report well deliverability test measurements within 60 days of the date on which the operation concluded. For technical information, refer to the [Well Testing Requirements](#) document.

Submit:	<ul style="list-style-type: none"> • one PDF and • one PAS
Submit to:	eSubmission
Naming Convention:*	WANUM_TRG_YYYYMMDD_OPTIONAL, or WANUM_PRD_YYYYMMDD_OPTIONAL

YYYYMMDD is the last date of testing. The optional portion of the naming convention may be any alphanumeric text up to forty characters in length. For example, the submission of a Well Deliverability Report for WA1122 where the last date of testing was May 1, 2014 would be:

11122_PRD_2014MAY01_ProdTest.PDF

11122_PRD_2014MAY01_ProdTest.PAS

*Note: TRG (absolute open flow), PRD (production/flow test)

2.10 Gas and Fluid Analyses

Section 34(5) (a) of the Drilling and Production Regulation requires that, if tests from a well allow good sampling, a report of all analyses made of any oil, gas, hydrocarbon liquid or formation water recovered from each formation are to be submitted to the Commission 30 days of analysis completion.

Section 62(3), 67(1) and 71(2) of the Drilling and Production Regulation requires a report of the component analyses of the crude oil liquids, natural gas and liquids and water to be submitted to the Commission within 60 days of sampling.

Submit:	<ul style="list-style-type: none"> • one PDF and • one PAS
Submit to:	eSubmission
Naming Convention:	WANUM_GAN_YYYYMMDD_OPTIONAL, or WANUM_OAN_YYYYMMDD_OPTIONAL, or WANUM_WAN_YYYYMMDD_OPTIONAL

GAN is to be used for Gas Analysis, OAN is to be used for Oil Analysis and WAN is to be used for Water Analysis. YYYYMMMD is the analysis date. The optional portion of the naming convention may be any alphanumeric text up to forty characters in length. For example, the submission of a Gas Analysis for WA11122 with an analysis date of May 1, 2014 would be:

11122_GAN_2014MAY01_14G123456.PDF

11122_GAN_2014MAY01_14G123456.PAS

Please Note:

The submission of liquid hydrocarbon analysis (condensate) is a single submission that may include the gas analysis in the pdf. The PAS file will include both the condensate and gas analysis and should be submitted as a single submission. When naming the file, the optional component is recommended to be the unique lab file number of the analysis.

2.11 Isotopic Analysis

Section 34(5) (b) of the Drilling and Production Regulation requires, if performed, a report of all isotopic analyses of mud gas, headspace gas, produced gas, surface casing vent flow gas, or any other gas associated with a well to be submitted to the Commission within 30 days of analysis completion.

Section 34 (6.1) of the Drilling and Production Regulation requires a permit holder of an exploratory outpost well or an exploratory wildcat well to capture a minimum of 15 mud gas isotope data samples per 1,000m interval between the base of the surface casing and either the total depth in a vertical well or the point where deviation exceeds 80° from the vertical in a horizontal well. An analysis of the isotope data samples captured must be submitted to the Commission within 30 days of analysis completion.

Submit:	<ul style="list-style-type: none"> one PDF and one CSV
Submit to:	eSubmission
Naming Convention:	WANUM_ISO_YYYYMMMD_OPTIONAL

YYYYMMMD is the analysis date. The optional portion of the naming convention may be any alphanumeric text up to forty characters in length. For example, the submission of an Isotopic Analysis for WA11122 with an analysis date of October 1, 2015 would be:

11122_ISO_2015OCT01_IsotopicAnalysis.PDF

2.12 Pressure-Volume Temperature Analysis

Section 34(6) of the Drilling and Production Regulation requires data and results from a bottom hole or other pressure-volume-temperature (PVT) analysis to be submitted to the Commission within 30 days of analysis completion.

Submit:	<ul style="list-style-type: none"> one PDF
Submit to:	eSubmission
Naming Convention:	WANUM_PVT_YYYYMMMD_OPTIONAL

YYYYMMMD is the test end date. The optional portion of the naming convention may be any alphanumeric text up to forty characters in length. For example, the submission of a Pressure-Volume Temperature Analysis for WA11122 with a test end date of May 1, 2014 would be:

11122_PVT_2014MAY01_PressureVolTempTest.PDF

2.13 Packer Isolation Testing

Section 16 (3) (b) of the Drilling and Production Regulation requires that reports of annual segregation test be submitted to the Commission within 30 days of completing the test.

Submit:	<ul style="list-style-type: none"> one PDF
Submit to:	welldatamail@bcogc.ca
Naming Convention:	WANUM_PIT_YYYYMMMD_OPTIONAL

YYYYMMMD is the test end date. The optional portion of the naming convention may be any alphanumeric text up to forty characters in length. For example, the submission of a packer isolation test for WA11122 with a test end date of May 1, 2014 would be:

11122_PIT_2014MAY01_PackerIsoTestSuccessful.PDF

2.14 Ground Motion Monitoring

As outlined in Industry Bulletin 2016-19, ground motion monitoring reports, where required, are to be submitted within 30 days of completing fracturing activities.

Submit:	<ul style="list-style-type: none"> one PDF, and one CSV, and one or more SEED file(s) (if applicable)
Submit to:	welldatamail@bcogc.ca
Naming Convention:	WANUM_GMMR_YYYYMMMD_OPTIONAL

YYYYMMDD is the ground motion monitoring completion date. The optional portion of the naming convention may be any alphanumeric text up to forty characters in length. For example, the submission of a ground motion monitoring report for WA11122 with a test end date of October 1, 2016 would be:

11122_GMMR_2016OCT01_Ground MotionReport.PDF
11122_GMMR_2016OCT01_GroundMotionReport.CSV
11122_GMMR_2016OCT01_GroundMotionReport.SEED

Chapter 3:

Core Research Facility Submissions

3.0 General

Section 29 (1)(d) and (2)(d) of the Drilling and Production Regulation requires samples (drill cuttings) and cores (full diameter and side wall) to be submitted to the Commission Core Facility within 14 days of rig release.

Physical Address:

BC Oil & Gas Commission
6534 Airport Road - REID Building
Fort St John, B.C. V1J 4M6

Telephone Contacts:

Telephone - 24 hour reception: 250-794-5200
Telephone - Facility Supervisor: 250-794-5225
Fax: 250-794-5390

Mailing Address:

BC Oil & Gas Commission
Bag 2, Fort St John, B.C. V1J 2B0
Attention: Facility Supervisor

3.01 Samples

Submit two sets of standard vials (5.5 cm high and 1.9 cm in diameter), arranged by consecutive depths in standard trays (24 cm by 33 cm) and filled to the lid with washed and dried cuttings.

Vials and trays must be clearly and accurately labeled with the well authorization number, formal well name and location of the well and the sample depths represented.

Special care should be taken to clearly differentiate whipstock, sidetrack, horizontal or multilateral legs samples through correct labeling of the drilling event.

Include a complete Notice of Shipment of Drill Cutting Samples Form.

3.01.1 Business hours at the Fort St. John Core Research Facility (REID Building)

Business hours at the Fort St. John Core Research Facility (REID Building) are 8:30 am to 4:30 pm Monday to Friday. The REID Building is closed for lunch from 12:00 pm to 1:00 pm.

After business hours at the REID Building, place sample trays along with [Notice of Shipment of Drill Cutting Samples](#) for both identical sets in the secure drop box located on the left (west) side of the building. Please follow the signs directing you to the drop box location.

3.02 Cores

New core must have a completed and approved Core Examination Application Form prior to removal from the wellsite to a laboratory and any analysis being performed.

Full diameter cores should be submitted in wooden boxes with the following exterior dimensions: 81 cm x 25 cm x 10 cm (32" x 10" x 4"). Ensure the box is securely nailed shut using one inch coated box nails, accompanied by a complete [Notice of Shipment of Core Form](#).

Core boxes should be well constructed with $\frac{3}{4}$ inch wooden sides and ends; lid and bottom preferably of $\frac{1}{4}$ inch fir plywood held in place by 1 inch coated box nails. Boxes should not exceed 30 inches in interior length and should be 2 rows wide and 1 row high. Please replace damaged core boxes before shipping to the Core Research Facility.

Core boxes must be clearly and accurately labeled on the end of each box with the well authorization number, formal well name and location, sample depths represented, core number, consecutive box number and indicate the top and bottom.

Side wall cores must be submitted in appropriate packaging and be clearly labeled with the well authorization number, formal well name, sample depth and core number. A minimum coin size representative sample must be submitted for each sample interval.

If cores are slabbed, the core face must be preserved. Both the 1/3 and 2/3 portions must be returned to the Commission and are subject to the [Core Testing Standard](#).

3.1 Examination and analysis of Cores (New and Removed)

Section 31 (3) of the Drilling and Production Regulation provides that a person, on payment of the fee prescribed, may remove a core from the Core Research Facility for the purpose of laboratory investigations and analysis that cannot be performed at the Core Research Facility.

Refer to the section 29(1)(2) of the Drilling and Production regulation for core and sampling preparation and [Core Testing Standard](#) for core handling, plugging and slabbing requirements.

An Core Examination Application Form must be submitted to and approved by a Commission official prior to the removal of core and any investigation (analysis) being done on the core.

A separate Core Examination Application Form must be submitted for each well. All analysis and tests to be conducted must be included on the Core Removal Application.

If different analyses are proposed for different intervals, the intervals associated with each analysis must be specified on the Core Examination Application Form.

If different laboratories are contracted to perform specific analyses on specific intervals, the laboratory and the associated analysis and interval must be specified on the Core Examination Application Form.

The applicant is responsible for ensuring that the laboratory(s) contracted to conduct the work are made aware of, and adhere to the Commissions core submission handling and return requirements, analyses submission requirements, and, provides complete and quality documentation in a timely manner. In addition, the applicant is responsible for ensuring that the laboratory does not perform any unauthorized analysis.

The applicant must be an authorized company official, or, where a contracted service provider is making application on behalf of company, an authorized official name and contact information is provided.

A revised Core Examination Application Form must be submitted, and approved by a Commission official for any changes in scope or schedule from the original Core Examination Application Form. An approved application will be limited to two (2) extensions.

A Commission official may request the immediate return of the core or by a specific date.

3.2 Core and Drill Cutting Samples (New and Removed)

A Sampling Application Form must be submitted to, and approved by, a Commission official prior to the removal of the sample and any investigation being done on the sample.

A separate Sampling Application must be submitted for each well for which sampling is being requested. All analysis and tests to be conducted for a well must be included on the Sampling Application.

If different analyses are proposed for different sample intervals, the intervals associated with each analysis must be specified on the Sampling Application.

If different laboratories are contracted to perform specific analyses on specific samples, the laboratory and the associated analysis and interval must be specified on the Sampling Application.

The applicant is responsible for ensuring that the laboratory(s) contracted to conduct the work are made aware of, and adhere to the Commissions sample submission, handling and return requirements, analyses submission requirements, and, provides complete and quality documentation in a timely manner.

The applicant must be an authorized company official, or, where a contracted service provider is making application on behalf of company, an authorized official name and contact information is provided.

A revised Sampling Application must be submitted, and approved by a Commission official for any changes in scope or schedule from the original Sampling Application. An approved application will be limited to 2 extensions.

A Commission official may request the immediate return of the samples or by a specific date.

Appendix A: File Naming Conventions

Below is a quick reference guide of electronic file naming for well data submissions.

Submission Type	Commission Naming Convention	File Type Description	File Name (Optional or Mandatory)	Date Guidance
Formation Tops / Logs Run	WANUM_FTLR_YYYYMMDD_OPTIONAL.PDF	Portable Document Format	Maximum 40 characters	Rig Release Date
Directional Survey	WANUM_DIR_YYYYMMDD_OPTIONAL.TXT	Text File (Survey Data)	Maximum 40 characters	Rig Release Date
	WANUM_DIR_YYYYMMDD_OPTIONAL.PDF	Portable Document Format	Maximum 40 characters	Rig Release Date
Tour Sheets	WANUM_ETS_YYYYMMDD_OPTIONAL.XML	CAODC XML Format	Maximum 40 characters	Rig Release or Drilling Suspended Date
	WANUM_ETS_YYYYMMDD_OPTIONAL.PDF	CAODC Portable Document Format	Maximum 40 characters	Rig Release or Drilling Suspended Date
Log Files	WANUM_WL_YYYYMMDD_MANDATORY.LAS	Industry Standard LAS Format	Maximum 40 characters	Log Run Date
	WANUM_WL_YYYYMMDD_MANDATORY.PDF	Portable Document Format	Maximum 40 characters	Log Run Date
	WANUM_WL_YYYYMMDD_MANDATORY.TIF	Tagged Image File Format	Maximum 40 characters	Log Run Date
Geological Reports	WANUM_GEO_YYYYMMDD_OPTIONAL.PDF	Portable Document Format	Maximum 40 characters	Report Date
Supporting Logs	SUBMIT AS WELL LOG (see above)	Industry Standard LAS Format	Maximum 40 characters	Geological Report Date

	SUBMIT AS WELL LOG (see above)	Tagged Image File Format	Maximum 40 characters	Geological Report Date
Submission Type	Commission Naming Convention	File Type Description	File Name (Optional or Mandatory)	Date Guidance
Hydraulic Fracture Data: FRAC Files	WANUM_FRAC_YYYYMMDD_OPTIONAL.CSV	Commission proprietary CSV format	Maximum 40 characters	Last Date of Operations
Hydraulic Fracture Data: PERF Files	WANUM_PERF_YYYYMMDD_OPTIONAL.CSV	Commission proprietary CSV format	Maximum 40 characters	Last Date of Operations
Fracture Fluid Disclosure	WANUM_FFR_YYYYMMDD_OPTIONAL.CSV	Commission proprietary CSV format	Maximum 40 characters	Last Date of Operations
Gas Analysis	WANUM_GAN_YYYYMMDD_OPTIONAL.PAS	Industry Standard PAS GAN format	Maximum 40 characters	Analysis Date
	WANUM_GAN_YYYYMMDD_OPTIONAL.PDF	Portable Document Format	Maximum 40 characters	Analysis Date
Oil Analysis	WANUM_OAN_YYYYMMDD_OPTIONAL.PAS	Industry Standard PAS OAN format	Maximum 40 characters	Analysis Date
	WANUM_OAN_YYYYMMDD_OPTIONAL.PDF	Portable Document Format	Maximum 40 characters	Analysis Date
Water Analysis	WANUM_WAN_YYYYMMDD_OPTIONAL.PAS	Industry Standard PAS WAN format	Maximum 40 characters	Analysis Date
	WANUM_WAN_YYYYMMDD_OPTIONAL.PDF	Portable Document Format	Maximum 40 characters	Analysis Date
Production Flow Tests	WANUM_PRD_YYYYMMDD_OPTIONAL.PAS	Industry Standard PAS PRD format	Maximum 40 characters	Last Date of Testing

	WANUM_PRD_YYYYMMDD_OPTIONAL.PDF	Portable Document Format	Maximum 40 characters	Last Date of Testing
Static Gradient Pressure Tests	WANUM_GRD_YYYYMMDD_OPTIONAL.PAS	Industry Standard PAS GRD format	Maximum 40 characters	Last Date of Testing
	WANUM_GRD_YYYYMMDD_OPTIONAL.PDF	Portable Document Format	Maximum 40 characters	Last Date of Testing
Submission Type	Commission Naming Convention	File Type Description	File Name (Optional or Mandatory)	Date Guidance
Transient Pressure and Deliverability (Bottom Hole)	WANUM_TRG_YYYYMMDD_OPTIONAL.PAS	Industry Standard PAS TRG format	Maximum 40 characters	Last Date of Testing
	WANUM_TRG_YYYYMMDD_OPTIONAL.PDF	Portable Document Format	Maximum 40 characters	Last Date of Testing
Transient Pressure and Deliverability (Surface)	WANUM_TRGS_YYYYMMDD_OPTIONAL.PAS	Industry Standard PAS TRGS format	Maximum 40 characters	Last Date of Testing
	WANUM_TRGS_YYYYMMDD_OPTIONAL.PDF	Portable Document Format	Maximum 40 characters	Last Date of Testing
	WANUM_TRGS_YYYYMMDD_OPTIONAL.CSV	Comma Separated Value Format	Maximum 40 characters	Last Date of Testing
DST	WANUM_DST_YYYYMMDD_OPTIONAL.PDF	Portable Document Format	Maximum 40 characters	Test Date
	WANUM_DST_YYYYMMDD_OPTIONAL.PAS	Industry Standard PAS DST Format	Maximum 40 characters	Test Date
RFT	WANUM_RFT_YYYYMMDD_OPTIONAL.PDF	Portable Document Format	Maximum 40 characters	Test Date
Completion Reports	WANUM_COMP_YYYYMMDD_OPTIONAL.PDF	Portable Document Format	Maximum 40 characters	Last Date of Operations

Core Data	WANUM_CORE_YYYYMMDD_OPTIONAL.PDF	Portable Document Format	Maximum 40 characters	Report Date
	WANUM_CORE_YYYYMMDD_OPTIONAL.TIF	Tagged Image File Format	Maximum 40 characters	Report Date
	WANUM_CORE_YYYYMMDD_OPTIONAL.JPG	Digital Image File Format	Maximum 40 characters	Report Date
	WANUM_CORE_YYYYMMDD_OPTIONAL.XLS	Microsoft Excel File Format	Maximum 40 characters	Report Date
	WANUM_CORE_YYYYMMDD_OPTIONAL.XLSX	Microsoft Excel File Format	Maximum 40 characters	Report Date
Submission Type	Commission Naming Convention	File Type Description	File Name (Optional or Mandatory)	Date Guidance
Isotopic Analysis	WANUM_ISO_YYYYMMDD_OPTIONAL.PDF	Portable Document Format	Maximum 40 characters	Test End Date
	WANUM_ISO_YYYYMMDD_OPTIONAL.CSV	Commission proprietary CSV format	Maximum 40 characters	Test End Date
Pressure-Volume Temperature Analysis	WANUM_PVT_YYYYMMDD_OPTIONAL.PDF	Portable Document Format	Maximum 40 characters	Test End Date
Packer Isolation Test	WANUM_PIT_YYYYMMDD_OPTIONAL.PDF	Portable Document Format	Maximum 40 characters	Test End Date
Ground Motion Monitoring	WANUM_GMMR_YYYYMMDD_OPTIONAL.CSV	Portable Document Format	Maximum 40 characters	Report Date
	WANUM_GMMR_YYYYMMDD_OPTIONAL.SEE D	Standard for the Exchange of Earthquake Data	Maximum 40 characters	Report Date